

PUBLISHER CORRECTION

Open Access



Publisher Correction: Infant and young child feeding practice status and its determinants in UAE: results from the MISC cohort

Mona Hashim^{1,2}, Rana Rizk^{3,4}, Nada Abbas⁵, Dana N. Abdelrahim², Hayder Hasan^{1,2}, Reyad S. Obaid^{1,2}, Hessa Al-Ghazal⁶, Marwa Al Hilali⁷, Farah Naja^{1,2*} and Hadia Radwan^{1,2*}

Correction: *Int Breastfeed J* 20, 6 (2024)

<https://doi.org/10.1186/s13006-024-00685-2>

Following publication of the original article [1], it came to the journal's attention that during production of the article Figs. 1 and 2 had been replaced by erroneous screen-shotted versions of the figures. The figures have since been corrected in the article. The publisher thanks you for reading this erratum and apologizes for any inconvenience caused by this processing error.

The original article can be found online at <https://doi.org/10.1186/s13006-024-00685-2>.

*Correspondence:

Farah Naja

fnaja@sharjah.ac.ae

Hadia Radwan

hradwan@sharjah.ac.ae

¹ Department of Clinical Nutrition and Dietetics, College of Health Sciences, University of Sharjah, Sharjah, United Arab Emirates

² Research Institute of Medical and Health Sciences, University of Sharjah, Sharjah, United Arab Emirates

³ Department of Nutrition and Food Science, Lebanese American University, Byblos, Lebanon

⁴ Institut National de Santé Publique, d'Epidémiologie Clinique, Et de Toxicologie (INSPECT-LB), Beirut, Lebanon

⁵ Nutritional and Food Sciences Department, Faculty of Agriculture and Food Sciences, American University of Beirut, Beirut, Lebanon

⁶ Sharjah Child Friendly Office, Sharjah Health Authority, Sharjah, United Arab Emirates

⁷ Al-Qassimi Hospital, Ministry of Health and Prevention, Sharjah, United Arab Emirates



© The Author(s) 2025. **Open Access** This article is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License, which permits any non-commercial use, sharing, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if you modified the licensed material. You do not have permission under this licence to share adapted material derived from this article or parts of it. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by-nc-nd/4.0/>.




Fig. 1 Methodology timeline flowchart

Abbreviations: EvBF; Ever breastfed. EIBF; Early initiation of Breastfeeding. EBF; Exclusive breastfeeding under six months. MixMF; Mixed milk feeding under six months. CBF; Continued breastfeeding 12–23 months. ISSF; Introduction of solid, semisolid or soft foods 6–8 months. MDD; Minimum dietary diversity 6–23 months. MMF; Minimum meal frequency 6–23 months. MMFF; Minimum milk feeding frequency for non-breastfed children 6–23 months. MAD; Minimum acceptable diet 6–23 months. EFF; Egg and/or flesh food consumption 6–23 months. SwB; Sweet beverage consumption 6–23 months. UFC; Unhealthy food consumption 6–23 months. ZVF; Zero vegetable or fruit consumption 6–23 months. AG; Infant feeding area graphs




Fig. 2 A Descriptive statistics of breastfeeding-related IYCF indicators at visit 3, 4, 5, and 6. B Descriptive statistics of food-related IYCF indicators at visits 4, 5, and 6

Abbreviations: EvBF; Ever breastfed; EIBF; Early initiation of Breastfeeding. EBF; Exclusive breastfeeding under six months. MixMF; Mixed milk feeding under six months. ISSSF; introduced solid, semisolid, or soft foods 6–8 months. CBF; Continued breastfeeding 12–23 months. MDD; Minimum dietary diversity 6–23 months. MMF; Minimum meal frequency 6–23 months. MMFF; Minimum milk feeding frequency for non-breastfed children 6–23 months. MAD; Minimum acceptable diet 6–23 months. EFF; Egg and/or flesh food consumption 6–23 months. SSB; Sugar-Sweetened beverages consumption 6–23 months. UFC; Unhealthy food consumption 6–23 months. ZVF; Zero vegetable or fruit consumption 6–23 months. V4 = 6 months, V5 = 12 months, V6 = 18 months

Published online: 18 February 2025

Reference

1. Hashim M, et al. Infant and young child feeding practice status and its determinants in UAE: results from the MISC cohort. *Int Breastfeed J*. 2024;20:6. <https://doi.org/10.1186/s13006-024-00685-2>.